

after sitting, and it was a great difficulty to him to get up, which perhaps was occasioned by the Weight and Pressure of the Kidney and adjacent indurate Glands, lying on the head of the *Psoas* Muscle and *Quadratus lumborum*.

He had often a total Suppression of Urine ; but was much relieved by *Sal Succini* and *Corn. Cervi*. He took several Doses of *Cantharides* with Camphire, without any ill effect from the Fly, but had little Relief as to his Distemper. For Three Weeks past he was seized with a violent Looseness, which at last, in spite of all means, carry'd him off.

VII. *An Account of a Book, intitul'd, Index Plantarum Horti Lugduno-Batavi, per Herman. Boerhaven. Lugduni Batav. 1710. 8vo. p. 278.*

THE Author Dr. *Boerhave* hath in this Catalogue given the World an early Specimen of his large Knowledge in *Botany*, he being elected Professor of that Science at *Leyden* but the Spring before this Publication, upon the Death of Dr. *Hotton*, who succeeded that Celebrated Botanist Dr. *Paul Herman*, whose Catalogue of that Garden, with his *Prodromus* and *Paradysus Batavus*, are living Testimonies of his Immortal Fame. This Curious Botanist to repair his loss, obliges us here with a Methodical Index of all such Plants as actually grew in that Garden the last Year, that the World may see what he can

can furnish them withal, as well as what he wants; so that by a mutual Commutation each may improve his Stock. It were highly to be wish'd, that other *Nations* would, as he has yearly promis'd, do the like, and especially our own, since we have several *Noble* as well as private *Persons* in *ENGLAND*, and some particular *Communities*, which have not been wanting either for *Cost* or *Industry* to stock their *Gardens* with many *Rare* and *Exotick Plants*; and till some *Curious Person* will take the Pains to publish a *Catalogue* of them, I presume it will not in the *interim* be amiss to give here an *Extract* from this, of such *Plants* as have very rarely or never been Cultivated in any of our *Publick* or other *Curious Gardens* here in *England*.

In giving these I shall follow the *Author's Method*, but divide them under these 3 general *Heads*, viz.

I. A List of the *Non-Descript Plants*, viz. such as *Dr. Boerhave* has given as *New*, or without any *Author* to them.

II. A *Catalogue* of the more *rare Plants* lately discovered.

III. Such as are no less *rare* in our *English Gardens*, tho' formerly described.

A Catalogue of the Non Descript Plants, viz.

I. Such as Dr. Boerhave has given as New, or without any Author to them.

- R** *Anunculus* fol. *Rutæ*, flore aureo simplici p. 3.
Thalictrum fl. luteo, caule anguloso, fol. minori 7.
Oenanthe aquatica minor 9.
Phellandrium fol. *Thysselini*, caule rotundo 11.
Phellandrium fol. *Thysselini*, caule sulcato 11.
Laserpitium lato, glauco splendente, trifido folio, flore albo, umbella Sphærica 13.
Caucalis Africana, fol. minore *Rutæ* 15.
Spondylium folio frequentius laciniato 16.
Panax folio glabro nitente lato 16.
Panax fol. glabro nitente altior 16.
Myrrhis annua glabra alba minor 17.
Myrrhis Oriental. fol. angustiore *Peucedani*, sem. villosa 17.
Lactuca altissima, fol. *Souchi* laciniato, fl. parvo cæruleo 21.
Lactuca Sylv. folio ad latera spinoso 21.
Sonchus Orient. *Lactuce* folio, fl. luteo, sem. eleganter crenato 23.
Hieracium folio, caule, & calyce hirsutis 25.
Hieracium folio amplo longo dentato, fœsculis parvis luteis 25.
Dens Leonis folio *Coronopi* 26.
Cichorium sem. adunco, fl. triplo majore, capitulis minoribus 27.
Jacobea maritima, fol. integro ferrato viridi 31.
Anemonospermus Africana fol. *Jacobeæ*, fl. luteo extus puniceo 31.
Helenium Indicum maximum, flore pleno aureo 32.
Helenium Indicum maximum, fl. pleno sulphureo 32.
Chamamelum marin. *Afiat.* nudum humifus fol. crasso 36.

- Millefolium tomentosissimum* 38.
Senecio Ægyptius fol. *Matricariæ* 40.
Senecio African. arborescens, fol. serrato 41.
Elichrysum Afric. fol. oblongo subincano supra viridi,
 fl. luteo 42.
Elichrysum Afric. fol. oblongo angusto, fl. rubello postea
 aureo 42.
Elichrysum Afric. f. oblongo lato tomentoso, fl. luteo 43.
Elichrysum Afric. fol. oblongo tomentoso, caulem am-
 plectante, flore luteo 43.
Santolina Orient. odore *Chamæmeli*, fol. vermiculato 44.
Abinthium Santonicum Ægyptiacum 45.
Scabiosa integrifolia Syriaca Sivan dicta 47.
Scabiosa Africana frutescens, fol. *Rutæ Canina* 47.
Cirsium maximum, capite parvo 51.
Cirsium rad. Asphodeli, fol. lato & lucido 51.
Cirsium majus, fol. subtus incano 51.
Cirsium angustifol. capitulo magno 51.
Clinopodium Siculum folio *Satureiæ* 61.
Lamium arborescens perenne *Canadense*, fol. rotundiore
 & viridiore 63.
Sclarea Æthiopica fol. subrotundo perennis 63.
Horminum pratense, folio non serrato 64.
Sclarea Africana amplissimo folio annua 64.
Teucrium Orientale, facie *Chamedryos* 73.
Linum umbilicatum, folio latiore 78.
Symphytum magis maculosum 78.
Symphytum maximè maculosum 78.
Echium folio asperrimo & verrucoso 78.
Echium ferox Ægyptium, fl. carneo 79.
Cerinthe quorundam major, versicolore fl. laciniato 79.
Alline folio *Kali*, flore subcæruleo 83.
Lychnis Suecica Scrotum Arietis dicta 85.
Lychnis sylv. vel marina fl. rubro pulcherrimo 85.
Lychnis fol. *Bellidis* crassiori subhirsuto 85.
Lychnis flore pallide viridi 85.

- Lychnis montana* folio Gramineo fl. spicato exiguo 86.
Lychnis Sicula elatior, folio *Salicis* 86.
Lychnis angustifolia, calyculis striatis 86.
Lychnis Alpina repens alba, fol. *Lini*, petalis bifidis 86.
Lychnis fol. Centaurij minoris glabro 86.
Lychnis repens, caule lignoso, angustifolia 87.
Caryophylus Sinensis, fl. pulcherrimo 88.
Sedum aizoides Alpina, trifido folio minor 91.
Blattaria fl. luteo amplo, folio laciniato 92.
Blattaria fl. luteo amplo, fol. hirsuto *Verbasci* 92.
Digitalis fol. glabro angusto 93.
Antirrhinum flore luteo grandi 95.
Antirrhinum fol. *Linariæ*, fl. toto albo 95.
Antirrhinum angustifolium, fl. magno purpureo 95.
Scrophularia fol. *Sambuci* hirsuta 96.
Polygala Afric. frutesc. fol. *Myrti*, fl. alto intus rubro 97.
Veronica fol. tenuiter laciniatis instar *Paronychiæ* 98.
Veronica pratensis *Serpillifolia* angustifolia 98.
Convolvulus peregrinus fol. anguloso, fl. albo parvo 102.
Convolvulus peregrinus tenuifol. argent. pilosus, fl. carneo 102.
Campanula longifolia, fl. conglomerato albo 104.
Trachelium peregrinum frutesc. crassissimo trunco, instar *Endiviæ* 104.
Rapunculus Valerianoides cæruleus umbellatus 104.
Rapuntium galeatum *Virginianum*, cæruleo flore 105.
Tithymalus folio *Salicis* hirsuto 106.
Tithymalus fol. cordiformi serrato 107.
Tithymalus Mauritanicus, aphyllus angulosus spinosus minor 107.
Geranium Afric. frutesc. *Malvæ* fol. laciniato odorato instar *Melissæ* fl. purpurascens 110.
Geranium Afric. frutesc. fol. *Achimillæ* hirsuto, cum fimbrijs purpureis 110.
Geranium Columbinum flore minore dilute rubro 111.
Geranium fol. *Althææ* *Afric.* odore *Melissæ* 111.

- Geranium Afric.* fol. *Alchimilla* piloso maculato 112.
Geranium Uvæ crispæ fol. caulic. virid. surrectis, fol. profundius incisfis, flore saturatè rubro 112.
Malva Afric. frutesc. fol. *Grossulariæ*, fl. rubro 114.
Althea Sabdariffa erecta trifoliata 115.
Hermannia frutescens fol. oblongo serrato latiori 115.
Hermannia frutesc. fol. *Grossulariæ* parvo hirsuto 115.
Hermannia frutesc. f. *Ibisci* hirsuto molli, caule piloso 115.
Hermannia frutesc. fol. multifido tenui, caule rubro 116.
Hermannia frutesc. fol. oblongo molli cordato hirsuto 116.
Cistus mas folio longiore 116.
Papaver Orientale annum 119.
Nigella latifol. fl. parvo simplici 120.
Linum Afric. luteum, folijs conjugatis 120.
Linum fl. rubro, odore Moschi 120.
Sedum Afric. arboresc. fol. viridi obtuso majus 120.
Sedum Afric. frutesc. fol. longo serrato confertim nato 121.
Sedum Afric. frutesc. caule pellucido, fol. subrotundo 121.
Sedum Afric. folio villoso oblongo 121.
Sedum Afric. folio rotundo minori 121.
Telephium majus caule rubro, fl. luteo 122.
Ficoides Afric. arboresc. lignosa, fol. glauco brevi, fl. pallido 122.
Ficoides Afr. arboresc. lignosa, perfoliata, fol. glauco brevi ad suprema averfa parte spinâ unica armatâ 123.
Ficoides Afric. arboresc. fol. tenuissimo triangulari aspero, fl. luteo 123.
Ficoides Afric. arboresc. fol. viridi longo triangulari aspero 123.
Ficoides Afric. arboresc. lignosa, spinis validis ligneis ad ramos armata, folio tenui & brevi 123.
Ficoides Afr. frutescens fol. glauco parvo, fl. violaceo 123.
Ficoides Afric. fol. triangul. crasso glauco ad 3 margines aculeato 123.
Ficoides Afric. humilis fol. crasso viridi ad extrema spinoso, fl. violaceo 123.

- Ficoides* Afr. humilis, fol. viridi crasso longo ad superiora spinoso conjugato 123.
- Ficoides* Afric. erecta arboresc. geniculato caule, fol. viridi 123.
- Ficoides* Afr. erecta arboresc. lignosa, fl. radiato primo purpureo, dein argenteo interdum clauso, nocte aperto 124.
- Ficoides* Afric. fol. glauco crasso fl. aureo 124.
- Ficoides* Afric. fol. variegato aspero, ad apicem stellâ spinosâ ornato, flore violaceo 124.
- Ficoides* Afric. fol. variegato aspero ad apic. stellâ purp. ornato, minor 124.
- Ficoides* Afric. fol. variegato aspero, ad apic. stella purp. ornato erecta 124.
- Ficoides* Afric. fol. viridi, micis quasi glaciatis splendentibus ornato fl. coccineo 124.
- Ficoides* Afric. fol. longo tenui, flore rubro 124.
- Ficoides* Afric. fol. longo tenui, fl. aurantio 124.
- Ficoides* Afric. humilis fol. crasso splend. viridi Aloefor-
mi, fl. luteo magno 124.
- Pæonia* fol. trifidi amplo supra viridi, infra pallido, fl. simpl. purp. amplo 125.
- Consolida* Regalis Hort. fl. carneo, calcari longissimo 128.
- Fumaria* Neapolitana flosculis subflavescentibus in summitate nigricantibus 130.
- Fabago* Africana frutescens minor 135.
- Thlaspi* Alysson dictum, campestre minus, fol. breviori 137.
- Thlaspi* Alysson fol. Leucoij latissimo aspero viridi 137.
- Sinapi* arvense album hyemale, folio Rapi, sem. luteo 142.
- Erysimum* sem. minimo pallido, siliquis *Eruce* 143.
- Hesperis* exigua lutea, fol. dentato angusto 146.
- Hesperis* fl. albo minimo, siliquâ longâ, fol. profundè dentato.
- Hesperis* maritima exigua supina 147.
- Hesperis* siliquis hirsutis, flore parvo rubello 147.
- Hesperis* hirsuta fl. albo minore, fol. aspero parvo Lavandulæ, siliquis *Cornu Cervini* divisura 147.

- Eadem* fl. purpureo vario 147.
Dentaria pentaphyllos, folijs mollioribus 147.
Genista Hisp. virgultis longioribus tenuioribus & sulcatis 148.
Genista-Spartium fol. minimis, spinis mollissimis 149.
Cytisus glaber, folijs medijs longioribus 150.
Phascolus erectus caule & folio rigido, flore pallido luteo, filiquâ crassa & amplâ 152.
Melilotus lutea, flosculis minimis spicatis 152.
Trifolium annuum fuscum, flore dilute rubello 153.
Trifolium perenne fuscum, fl. albo 153.
Trifolium Afric. fol. obtuso, fl. pallide cæruleo 153.
Anonis spinosa, fl. albo minor 154.
Anonis spicata sive *Alopecuroides* major 154.
Anonis folio Viciæ 154.
Medica filiquâ falcata planâ, ad margines aculeata, lutea 155.
Medica Cochleata polycarpus, capsula compressa 155.
Medica Cochl. polycarpus spinosâ capsulâ, seu spinis longioribus capsulam inuolventibus 155.
Lotus filiquis geminis peregrina 156.
Lathyrus latifol. minor, fl. majore 158.
Lathyrus Siculus flore odorato magno 159.
Lathyrus angustifol. *Siculus*, filiq. hirsutis, fl. purpureo cæruleo 159.
Lythyrus latifolius fl. gilvo é *Smyrna* Dr. Sherard 159.
Vicia fl. albo filiquâ longâ glabrâ 160.
Vicia fol. & filiquâ latis, filiquâ hirsutâ 160.
Vicia major, fl. purpureo sparso, filiquis multis erectis 161.
Orobis latifolius repens, filiquâ parvâ 162.
Orobis latif. repens fl. cæruleo, fol. & filiquis hirsutis 162.
Coronilla major, fl. violaceo 165.
Hedysarum clypeatum asperum, filiquâ spinosissimâ fl. purpureo 165.
Astragalus Orient. fol. *Viciæ* incanis, angustis, oblongis 167.
Astragalus Syriacus hirsutus *Sherard* 167.

- Astragalus hirsutus Smyrna missus Sher.* 167.
Astragalus fol. Tragacanthæ glabro, parvus Sher. 167.
Astragalus repens minor fl. cæruleo, siliquâ Epiglottidi simili 167.
Astragalus siliquâ bullatâ & bifariam divisâ Sher. 167.
Herba mimosa Zeylanica spinosissima 168.
Bryonia alba asperior, folijs majoribus 170.
Solanum fruticosum bacciferum fol. rigidior 173.
Colocassa folijs ad caulem apertis 176.
Opuntia fol. oblongo media; spinis frequentioribus & brevioribus armato 181.
Lapathum fol. longissimo crispo 183.
Acetosa rotundifolia annua 184.
Halimus folio minore 186.
Chenopodium Americ. vel Armenium folio Kali 187.
Botrys Ambrosioides Mexiicana perennis 187.
Reseda maxima Cretica, folijs Cannabinis 194.
Hyacinthus Oriental. fl. pleno carneo parvo 199.
Hyacinthus Orient. fl. pleno cærul. purp. minore 199.
Hyacinthus Orient. fl. pleno albo internè rubis punctis adsperso 199.
Hyacinthus Orient fl. pleno cæruleo porcellano 199.
Hyacinthus Orient. fl. pleno cærul. purp. magno 199.
Crocus vernus latifol. aureus minor 200.
Crocus vernus latif. fl. externè pallido, intus cæruleo striato 202.
Crocus vern. latif. fl. ext. pallido violaceo variegato, intus cæruleo 202.
Crocus vern. latif. fl. purpureo minor 202.
Crocus vern. latif. fl. albo purpureo major 202.
Crocus vern. latif. fl. albo purp. minor 202.
Crocus vern. alterno floris folio albo, alterno cæruleo 202.
Crocus vernus fl. candido pmo 202.
Iris bulbosa Hispanica variegata 205.
Iris bulb. Anglicana fl. albo, cæruleis lineis variegato 205.

Aloe Afric. caulescens perfoliata, angustiori spinosissimo folio *Beaum.*

Aloe Afric. caulesc. fol. spinosis, macul. ab utraque parte albicantibus obscurioribus, folijs glaucis *Beaumont* 210.

Aloe Afric. humilis spinis herbaceis inermibus & verrucis obsita, folio crassiori *Beaum.* 210.

Aloe Afric. fol. obscuro viridi, spinis ad latera & verrucis in dorso armato 211.

Lilium Martagon purpureum punctatum 214.

Lilium Martagon Bizantinum medium 214.

Lilium Martagon Bizantinum minus 214.

Ornithogalum viride minus 218.

Lilium Javanicum habitum. an *Lilio-Asphodelus* *Com.*
Rar. 14?

Cyclamen radice *Anemones*, fl. purp. minore odorato 223.

Lingua Cervina fol. in summo multifidis & corniculatis, minor, eleganter laciniata 234.

Buxus Africana folio oblongiori non serrato 238.

Lycium Africanum fructu rubro 246.

Lycium Pruni folio subrotundo, fl. candicante 246.

Rhamnus Afric. spinis longis, cortice albo fructu cæruleo 246.

Alaternoides Afr. fol. *Ericæ*, flore muscoso albo 248.

Alaternoides Afr. fol. *Telephij* legit. *Imperati* 248.

Philyrea fol. magis serrato subrotundiori 248.

Ligustrum fol. latioribus 248.

Lauro similis flore, folio tenero 249.

Jasminum Indicum fol. conjugatis max. fl. albo odoratissimum 250.

Jasminum Castaneæ folio, fl. odoratissimo rubro, fructu qui COFFEE duro *Commel.* 250

Olea Africana humilis lucida 250.

Viburnum Americ. fl. albo 255.

Viburnum Americ. fl. purpureo cæruleo 255.

Viburnum Americ. folijs longioribus 255.

Periclymenum minus 256.

Periclymenum Afric. folio Pruni 257

Berberis Mauritanica 260.

Malus Limonia fol. angustiore spinosa 264.

Malus Limonia fol. angustiore non spinosa 264.

Cerasus Hottentottorum fol. minori magisque rotundo 266.

Mespilus magno oblongo laciniato folio 275.

Evonymo affinis *Afric.* Ulmi folio, fl. rotundo Malvaceo, tetracoccus 278.

Chrysanthemum baccifer. *Populi* fol. *Africanum* 278.

Arbuscula alatis folijs ad Jalminum vulgaritius accedentibus 278.

Arbuscula Africana tenui muscoso flosculo 278.

II. *These are of late Discovery, and rare in our English Gardens.*

P*Entaphylloides* fol. *Ulmariæ*, flore albo 5. *Tournef.*
Bulbocastanum Lusit. fol. tenuiter diviso. 9. *V. Lusit.*
Oenanthe caule flexoso & fistuloso 9. *Mor. Umb.*

Oenanthe Lusit. sem. crassiore globoso 9. *Tourn.* 313.

Angelica Alpina ad nodos florida 10. *Tour.* 313.

Apium degener fol. longius dissectis 12. *Mor. U.* 24.

Thapsia *Apij* folio *Lusit.* tætidissima fl. albo 12. *T.* 322.

Laserpitium folijs amplioribus, sem. crispo 13. *T.* 324.

Laserpitium humilius *Paludapij* folio, fl. purp. 13. *T.* 325.

Laserpitium angustifolium sem. crispo 14. *Tourn.*

Pastinaca tenuifolia Cretica, umbella radijs *Gingidij* longioribus *M. Umb.*

Caucalis major *Daucoides Tingitana* *M. Umb.* 65.

Cachrys sem. fungoso lævi, fol. *Ferulaceis* *M. U.* 62.

Ferula durior seu rigidis & brevissimis folijs *Bocc. M.* 84.

Sphondilium max. *Transylvanicum* *Ricini* fol. *Breyn. Prodr.* 2.

Valeriana fol. *Calcitrapæ* magis secto 19. *M. Umb.*

Hieracium fol. caulem amplexo 25. *Triumfet.*

After *Amer. latif. maximus*, puniceis caulibus H. Ludg. Bat. 651. Fig.

After *Novæ Belgiae latifol. paniculatus*, fl. saturatè violaceis H. L. Bat. 67. Fig.

After *Novæ Belgiae latifol. umbellatus*, fl. dilutè violaceis H. L. B. 69. Fig.

After *Novæ Angliæ altissimus hirsutus*, fl. amplissimis purpureo violaceis Parad. Batav. Prodr. 98. Fig.

After *Novæ Angliæ purp. Virgæ aureæ facie & folijs undulatis* P. Bat. pr. 96. Fig.

Virga Aurea Novæ Angliæ lato rigido folio P. Bat. pr. 243. Fig.

Jacoea Afric. frutesc. fol. rigido & hirsuto major H. Amst. 2. Fig. 75.

Jacoea Afric. frutesc. fol. rigido & hirsuto minor H. Amst. 2. p. 149.

Jacoea Afric. frutesc. fol. glauco crasso succulento H. Amst. 2. Fig. 74.

Jacoea Afr. fol. Hederæ terrestris H. Amst. 2. Fig. 73.

Anemonospermus Afric. fol. Card. Benedict. fl. albo extrus puniceo H. Amst. 2. Fig. 22.

Chrysanthemum Canadense, Ranunculi rad. Strumosum vulgo H. L. B.

Ptarmica Alpina Matricariæ folijs 37. *Triumfet.* 83.

Ptarmica Alpina incanis ferratis folijs H. L. Bat. 694.

Ptarmica fol. profundius ferratis, læte viridibus elatior H. L. B. 694.

Calendula humilis Afr. fol. Leucoij, fl. albo H. Amst.

Senecio Amer. purpureo cæruleo flore El. Bot. 362.

Senecio Afric. arborefcens, fol. Ficoides H. Amst. 2. Fig.

Eupatorium Novæ Angliæ Urticæ folijs, fl. purp. maculato caule H. L. B. 667.

Coma aurea Afric. frutesc. fol. glauco ad extrema trifido H. Amst. 2. Fig.

Chrysanthemum Cannabinum Americanum H. R. Blas 254.

Abrotanum fœm. canescens fol. Stachadis citrinæ Breyn. Pr. 1. Pana.

- Tanacetum Afr.* arborefcens, fol. Lavandulæ H. *Aftm.* 2. Fig.
Scabiofa folio Cardiacæ Bocc. *Sicul.*
Carduus Creticus incanus, fl. luteo purpureo I. R. H. 441.
Carduus Melitenfis capitulis conglobatis I. R. H. 442.
Carduus Melitenfis Eruçæ folio fl. luteo I. R. H. 442.
Carduus Sphærocephalus Tingitamus I. R. H. 441.
Jacea argentea Ragufina Zanon 107.
Jacea cinerea laciniata, fl. purpureo *Triumpheti* 72.
Serratula Virginiana folijs rigidis P. B. pr. 227. Fig.
Serratula Novæborac. altiffima, fol. Doriæ mollibus subin-
 canis P. Bat.
Gallium faxatile glauco folio Bocc. Mus. Tab. 116.
Betonica major Danica Park. 615.
Betonica minima Alpina Helvetica Park. 614.
Clinopodium Canad. fistulofum anguftifolium H. L. Bat.
Horminum sanguineum Afphodeli radice Triumph. 69.
Horminum Verbenæ lacinijs *Triumph.* 66.
Bugula odorata Lufitanica Corn. 46.
Ocimum Ægyptiac odorat. fol. longis pediculis innixus
Ambrof.
Marrubiastrum fol. Cardiacæ Bocc. Mus. Tab. 98.
Pseudo-Dictamnus Afric. Hederæ Terrefttris fol. Old. I.
 R. H. 188.
Calamintha præalta odore Pulegij Bocc. Tab. 40.
Dracocephalum Americanum Breyn. Pr. 1. Fig.
Bugula Alpina maxima I. R. H. 209.
Marrubium aq. fol. profundiffimè diffectis H. L. B. 408.
Verbena altiffima Americana P. Bat.
Verbena latifol. Lufit. procerior I. R. H. 200.
Auricula Urfi minima, fl. carneo & niveo I. B. 3. p. 869.
Portulaca Curaffavica Capparidis fol. P. Bat. pr. 213. Fig.
Portulaca Curaff. lanuginofa erecta P. Bat. pr. 214. Fig.
Blattaria fl. cæruleo, fol. fplendente *Mandragoræ* *Triump.*
Blattaria incana multifida Bocc. 61.
Linaria Americ. max. purpureo flore H. L. Bat. 377 Fig.
Scrophularia nemorenfis fol. *Urticæ* rugofa, fl. atro puni-
 cante H. Catholic.

Polygala frutescens Cap. *Bonæ Spei* Breyn. Cent. 107.

Polygala frutesc. fol. *Buxi* fl. maximo Old. I. R. H. 175.

Hypericum frutescens *Virgin.* tomentosum & incanum P.
Bat. pr. 188. Fig.

Convolvulus Amer. pilosus, fl. luteo, umbone purpureo
H. Amst. Fig.

Campanula altissima hirsuta flor. conglomeratis Hort. Bat.

Campanula minima *Afric.* Erini facie, fl. violaceo, cauliculis
procumbentibus H. L. B. 109.

Tithymalus Ragusinus fl. luteo pentapetalo H. L. B. 601.

Tithymalus *Afric.* caule tuberoso minor ex Hort. Beaum.
107.

Datura Amer. Hyoscyami folio Hor. Bat. 2.

Datura Coch. spinosissima Zan. 76.

Geranium *Afric.* noctu olens tuberosum fol. *Vitis* hirsuto
H. Amst. 2.

Geranium *Afric.* frutescens fol. glauco, sapore *Acetosæ*
Com. 2. Fig.

Geranium fætidum Park.

Althea frutesc. *Lusit.* fol. rotundiori undulato I. R. H. 97.

Malva rotundifolia Italica, fl. amplo purpurecente I. R.
H. 96.

Malva Hispan. fol. rotundis undulatis Flor. Bat. 2.

Malva rotundifol. glabra *Hisp.* fl. amplo rubello Pluk. 44.3.

Malva Sylvestris fol. *Beronica* Bocc. 114.

Ketmia Africana Populi folio I. R. H. 100.

Cistus Ledon fol. latis & hirsutis Flor. Bat. 2.

Colyledon fl. luteo rad. repente Dodart. mem. 73.

Colyledon fl. luteo medio H. L. Bat. 191.

Colyledon *Afr.* frutesc. fl. umbellato coccineo *Comel.* 2.24.

Telephium Amboinense maximum H. Beaumont.

Helleborus niger trifoliatus H. *Fernes.* 92.

Sinapis *Lusit.* tryphyllum fl. rubro, siliquis cornicu-
latis H. L. Bat.

Fumaria Africana vesicaria scandens P. Bat.

Clematis tetraphyllos Americana filiquosa H. R. Par. 71.

Asclepias

Asclepias Africana aizoides, fl. pulchré fimbriato *Com.* 19.

Apocynum majus Syriacum rectum *Corn.* 91.

Apocynum minus rectum *Canadense* *Corn.* 93.

Apocynum Canad. humilior fol. angustissimo *H. L. Bat.*

Apocynum rectum latifol. *Americ.* majus *Park.* 385.

Apocynum fruticos. fol. rotundiori crasso *P. Bat.*

Apocynum frutesc. fol. rotundiori magis acuto *P. Bat.*

Apocynum erect. *Canad.* latifolium *P. Bat.*

Thlaspi incanum fol. *Leucoij* *Bocc.*

Leucoium saxat. fol. viridi, fl. purpureo eleganti *Cupani.*

Thlaspi latif. platycarpon *Leucoij* folio *Bocc.* 55.

Thlaspi verum primum *Dioscoridis* *Zan.* 191.

Lepidium humile minus incanum *Alepicum* *L. R. H.*

Cochlearia major Batavica erecta fol. oblongo *H. L. Bat.*

165.

Sinapi Indicum Lactucæ folio *P. Bat.*

Sinapi Indic. Lact. fol. minus seu angusto profundius crenato *P. B.*

Sinapi Hispanicum fol. Nasturtij *Tourn.* 227. fl. pallide purpureo 142.

Nasturtium Pyrenaicum aquaticum *P. Bat.*

Nasturtium montanum fol. *Asari* *Bocc.* 5.

Cardamine Sicula fol. *Fumariæ* *T.* 224. *Bocc.* 84.

Leucoium Lufit. purpureum fol. eleganter dentatis *P. Bat.* 193. Fig.

Hesperis Sicula frutescens, siliqua tricuspidi *T.* 223. *Boc. Mus. Tab.* 111.

Hesperis Sicula Coronopi fol. siliquâ tricuspidi *T.* 223. *Bocc. Mus. Tab.* 111.

Genista tinctoria Germanica fol. lucidis glabris *H. L. B.*

Phaseolus Indicus flor. & fructu candidissimis *Volk.*

Phaseolus Indicus cochleato flore *Triumph.* 92.

Fenum Græcum Sylv. minus *Monspel* *Breyn.* Cent. 79. Fig.

Fenum Græcum Sativum, polyceration *Cretic.* majus *Breyn.* Cent. 80.

Acanis spicata sive *Alopecuroides Lusitanica* *Hofm.*

Medic.

Medica annua, filiquis hirsutis falcatis *Flor. Bat.* 1.
Colutea vesic. *Afr.* frut. fol. Senæ, fl. sanguineo *Comm.*
Onobrychis minus, fr. maximo insigniter echinato *Triumph.*
 65.

Lupinus peregr. major, fl. incarnato *H. L. Bat.*
Lupinus angustifol. cerul. elatior *Ray* *H. Plant.* 908.
Hedysarum triphyllum *Canad.* *Cornuti* 44.
Hedysarum annuum filiqua aspera undulata intorta *T.* 401.
Astragalus purp. perennis *Monspeffulanus* *Magn.*
Bryonia *Zeyl.* fol. profundè laciniatis *H. L. Bat.* *Fig.*
Bryonia *Afr.* laciniata, tuberosa rad. fl. herbaceis *P. Bat.*
Polygonatum racemosum fl. luteo majus *Corn.* 37.
Polygonatum racemosum fl. luteo minus *Corn.*
Asparagus aculeatus max. sarmentosus *Zeylanicus* *H. L. Bat.*
Fig.

Anapodaphyllon *Canad.* *Morini* *T.* 239.
Arum max. cauliculis nigricantibus, *Zeylanicum* *H. L. Bat.*
Arum triphyllum *Dodart.* *Mem.* 81.
Cucumis *Canad.* monospermos, fr. echinato *Par. Bat.* *Fig.*
 133.

Cucumis puniceus *Indicus* major *P. Bat.*
Ficus *Indica* *Scolopendriæ* folio *Epiphyllitis* *P. Bat.* *Cat.* 8.
Cereus erect. *Currass.* tetragonus articulatus *P. B. pr.*
Cereus scand. minor trigonus articulatus, fr. suavissimo
P. Bat. 118. *Fig.*

Cereus scand. minor polygonus articulatus, *P. Bat.* 120.

Acetosa *Moscovitica* sterilis *H. Ox.* 583.

Atriplex angustissimo & longissimo folio *H. L. Bat.*

Parietaria *Sicula* fol. *Alfines* *Bocc.* 47.

Pimpinella sanguisorba eleganter laciniata *S. B. P. T.*

Pimpinella max. *Canad.* alba spicata *Corn.* 175.

Pimpinella *Agrimoides* *Bocc.* 58.

Gnaphaloides *Lusitanica* *T.* 439.

Mercurialis procumbens dicoccos *Afric.* fol. *Violæ* tricoloris *P. Bat.*

Hyacintho affinis Afric. tuberosa rad. umbellata cærulea inodora H. L. Bat.

Colchicum variegatum Corn. 137.

Canna Indica angustifol. fl. flavo H. L. Bat.

Ornithogalo affinis rad. tuberosa, fol. Cyclaminis Breyn. Cent.

Ornithogalum Afric. lut. odorat. fol. Cepaceis rad. tuberosa H. L. Bat. Fig.

Scilla Afric. fl. parvo viridi, bulbo amplissimo lanuginoso H. *Amst.* 2 Fig.

Lilium Amer. puniceo flore, Bella dona dictum P. Bat. Fig. 194.

Lilio narcissus Afr. platycaulis humilis, fl. purp. odorato H. *Amst.*

Gramen Sparteum marit Hollandium, spicâ Secalinâ Ray.

Gr. Dactylon max. Americanum H. R. Par.

Arundo Indica variegata seu Laconica Theophrasti Corn. 55.

Polypodium majus folio ferrato Barrel. Icon.

Fraxinus Alepensis H. L. Bat.

Fraxinus Americana florida H. R. Par.

Fraxinus florifera Botryoides H. R. Blæs.

Lentiscus vulg. fol. minoribus & pallidioribus H. L. Bat.

Jasminum Afric. folio Illicis Com. Fig. 6.

Vitis Idea Zelanica odoratissima T. 608.

Myrtus folijs Buxi Schnyl. Hort. 49.

III. The following Plants, tho formerly discovered, are not common in our English Physick Gardens.

A *Nemone trifolia* C. B. 176. *Phyt.* 317.

Anemone Sylv. alba major C. B. 176.

Ranunculus nemorosus luteus C. B. 198. flor. duobus *Var.*

Meum latifol. adulterinum C. B. 148.

Cithmum marit. majus odore Apij C. B. 288. 1.

Apium montanum tenuifolium C. B. 153.

Thapsia latifol. villosa C. B. 148.

Thapsia folijs Libanoditis fætidissima C. B. 148.

Caucasis

- Caucalis pumila maritima* C. B. 152.
Valeriana tuberosa I. B. 3. p. 209.
Sonchus lævis laciniatus caruleus Alpinus C. B. 124.
Tussilago Alpina rotundifolia glabra C. B. 197.
Cacalia tomentosa C. B. 198.
Bellis spinosa fol. *Agerati* C. B. 262.
Dipsacus sativus fol. laciniato C. B. 385.
Eryngium montanum pumilum C. B. 386.
Atractylis fl. purpureo *Ludg.* 1468.
Jacea Babylonica C. B. pr. 129.
Jacea marit. candidissima fol. *Stæbes* C. B. 272.
Centaureum Alpinum luteum C. B. 117. pr. 56.
Rubeola repens lutea folijs spinosis C. B. 334.
Tragoriganum Creticum minus & tenuis *Alpin.* Exot. 79:
Tragorig. Cret. majori crassiori, asperiori folio *Alp.* Ex. 79.
Sideritis Alpina Hyssopifolia C. B. 233.
Sideritis hirsuta vulg. erecta C. B. 233.
Verbena nodiflora C. B. pr. 125. Fig.
Alfine affinis *Androsace dicta* major C. B. 251.
Soldanella Alpina rotundifolia C. B. 295.
Gentiana palustris latifol. fl. punctato C. B. 188.
Hyosciamus albus Ægyptius Alp. Exot. 192.
Linaria tryphylla minor lutea C. B. 212.
Hedera saxatilis magno flore C. B. 306.
Tithymalus Characias fol. ferrato C. B. 293.
Ruta Sylv. fl. magno albo C. B. 336.
Alcea villosa hirsuta C. B. 3 6.
Nigella Cretica C. B. prodr. 75.
Peonia folio latiori promiscua Vormarij I. B.
Fonthlaspi minimum spicatum Col. 284.
Leucoium mont. fl. pedato *Col.* 2. 61.
Jondraba Apula Alyssoides spicata Col. 285.